

# List of Plants

## C BETA-CARYOPHYLLENE-EPOXIDE

Chemid

BETACARYOPHYLLENEEPOXIDE

\*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Plant	Plant Part	Low PPM	High PPM	StdDev	*Reference
Artemisia salsoloides	Shoot	--	750.0	1.29	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Artemisia salsoloides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
Micromeria varia	Shoot	--	75.0	-1.15	*
Micromeria varia	Shoot	--	355.0	-0.14	Pedro, L.G., et al. 1995. Composition of the Essential oil of <i>Micromeria varia</i> Benth. ssp. <i>thymoides</i> (Sol. ex Lowe) Perez var. <i>thymoides</i> , and endemic species of the Madeira Archipelago. <i>flav. &amp; Fragr. J.</i> 10(3): 199-202.
Nicotiana tabacum	Leaf	--	--		*
Thymus x citriodorus	Plant	--	30.0		Stahl-Biskup, E. and Holthuijzen, J. 1995. Essential oil and glycosidally bound volatiles of lemon-scented thyme, <i>Thymus x citriodorus</i> (Pers.) Schreb. <i>flav. &amp; Fragr. J.</i> 10: 225-229.